



**University of
Zurich**^{UZH}

**Zurich Open Repository and
Archive**

University of Zurich
University Library
Strickhofstrasse 39
CH-8057 Zurich
www.zora.uzh.ch

Year: 2012

Stability and change of social relationship quality in captive chimpanzees (Pan troglodytes)

Koski, Sonja E ; de Vries, Han ; van de Kraats, Annette ; Sterck, Elisabeth H M

Abstract: In social animals an individual's fitness depends partly on the quality of relationships with others. Qualitative variation in relationships has been conceptualized according to a three-dimensional structure, consisting of relationship value, compatibility, and security. However, the determinants of the components and their temporal stability are not well understood. We studied relationship quality in a newly formed group of 20 captive chimpanzees made up of several previously existing social groups. We assessed dyadic relationship quality 2 yr and again 7 yr after grouping. We confirmed the existence and stability of three relationship components and labeled them value, compatibility, and approach symmetry. Previously familiar dyads had a higher value than unfamiliar dyads, especially when they were maternally or paternally related. Compatibility was higher in dyads with only females than in dyads containing a male, but familiarity did not influence compatibility. Approach symmetry was initially higher, but later lower, in familiar than unfamiliar dyads, indicating that approach symmetry of familiar dyads decreased over time. Dyadic value and compatibility were highly stable over time, which is similar to the long relationship duration found in wild chimpanzees. In sum, relationships formed earlier in life became more valuable than those formed in later adulthood, whereas nonaggressive, compatible relationships could be formed throughout life. This suggests that for immigrating individuals, high-value relationships may be relatively difficult to establish, partly explaining why wild female chimpanzees have relatively few high-quality relationships with other females. Our study supports the multicomponent structure and durability of relationships in social species.

DOI: <https://doi.org/10.1007/s10764-012-9623-2>

Posted at the Zurich Open Repository and Archive, University of Zurich

ZORA URL: <https://doi.org/10.5167/uzh-68287>

Journal Article

Accepted Version

Originally published at:

Koski, Sonja E; de Vries, Han; van de Kraats, Annette; Sterck, Elisabeth H M (2012). Stability and change of social relationship quality in captive chimpanzees (*Pan troglodytes*). *International Journal of Primatology*, 33(4):905-921.

DOI: <https://doi.org/10.1007/s10764-012-9623-2>

1
2 **Stability and change of social relationship quality in captive chimpanzees (*Pan troglodytes*)**
3

4
5 Sonja E. Koski^{1*}, Han de Vries², Annette van de Kraats², Elisabeth H.M. Sterck^{2,3}
6

7
8 1. University of Zürich, Anthropological Institute and Museum, Switzerland

9 2. University of Utrecht, Behavioural Biology, The Netherlands

10 3. Biomedical Primate Research Centre, Ethology Research, Rijswijk, The Netherlands

11
12 Corresponding author:

13 Sonja E. Koski

14 Anthropological Institute and Museum

15 University of Zürich

16 Winterthurerstasse 190

17 CH- 8057 Zurich, Switzerland

18 Email: sonjaelena.koski@uzh.ch
19

20
21 Key words: relationship value, compatibility, security, chimpanzee, tenure
22
23

In social animals an individual's fitness depends partly on the quality of relationships with others. Qualitative variation in relationships has been conceptualized according to a three-dimensional structure, consisting of relationship value, compatibility, and security. However, the determinants of the components and their temporal stability are not well understood. We studied relationship quality in a newly formed group of 20 captive chimpanzees made up of several previously existing social groups. We assessed dyadic relationship quality two years and again seven years after grouping. We confirmed the existence and stability of three relationship components and labelled them value, compatibility and approach symmetry. Previously familiar dyads had a higher value than unfamiliar dyads, especially when they were maternally or paternally related. Compatibility was higher in dyads with only females than in dyads containing a male, but familiarity did not influence compatibility. Approach symmetry was initially higher, but later lower, in familiar than unfamiliar dyads, indicating that approach symmetry of familiar dyads decreased over time. Dyadic value and compatibility were highly stable over time, which is similar to the long relationship duration found in wild chimpanzees. In sum, relationships formed earlier in life became more valuable than those formed in later adulthood, whilst non-aggressive, compatible relationships could be formed throughout life. This suggests that for immigrating individuals, high value relationships may be relatively difficult to establish, partly explaining why wild female chimpanzees have relatively few high quality relationships with other females. Our study supports the multi-component structure and durability of relationships in social species.

INTRODUCTION

Gregarious animals form social relationships through repeated interactions with their conspecifics. Social relationships are important as for group living animals an individual's fitness depends not only on benefits brought about by living in a group (Kappeler & van Schaik 2002), but also on benefits obtained from specific social relationships with other individuals

(Kummer 1978; Aureli & Schaffner 2002; Silk 2007). Qualitative differences among social relationships are formed by differences in the content, frequency and pattern of interactions over time (Aureli & Schaffner 2002). Individuals derive fitness benefits from good social relationships (Silk et al. 2003, 2010a; Schülke et al. 2010; review in Seyfarth & Cheney 2012). Good social relationships provide partners with direct benefits such as grooming and support in aggressive conflicts, or increased tolerance near resources and, thus, decreased competition (reviews in Silk 2007, Massen et al. 2010; Seyfarth & Cheney 2012). Therefore, it is important to quantify the patterns and frequency of social interactions to obtain information on the characteristics that determine social relationships for an individual.

The quality of a social relationship does not vary randomly among group members. In many primates, relationships among kin are better than among non-kin, since investing in a relationship with kin is beneficial via kin selection, and the common social history with kin may make them trusted allies (Seyfarth & Cheney 2012). The possibility of forming relationships with kin depends on the dispersal pattern. Typically, the same-sex kin relationships in the philopatric sex are valuable. Because female philopatry is more common in mammals than male philopatry (Greenwood 1980), female-female relationships are often the most valuable ones (e.g. Silk et al. 2010b; Perry et al. 2008; Kapsalis 2004). In species with male philopatry, (maternally) related males are preferential, high valued partners (e.g. chimpanzees, *Pan troglodytes*: Mitani 2009; Langergraber et al. 2007). However, individuals of the dispersing sex can also have good relationships with kin, especially if they immigrate to the same group (“parallel dispersal”: western gorilla (*Gorilla gorilla*) females: Bradley et al. 2007; meta-analysis on male primates: Schoof et al. 2009). Moreover, unrelated individuals may form beneficial relationships with each other. Males may benefit from mixed-sex relationships by obtaining mating opportunities (Moscovice et al. 2010; Massen et al. 2012), whereas females may gain protection against males or other females (Kahlenberg et al. 2008), or infanticide (van Schaik & Kappeler 1997; Palombit 2000). Among unrelated same-sex individuals, beneficial relationships are often characterised by

similar dominance position, because partner's value as an alliance depends on fighting ability or dominance rank (Seyfarth 1977; but see Perry et al. 2008). In addition, good relationships are found among individuals that have known each other for a long period, possibly because familiarity may increase predictability of partner's behaviour (Silk et al. 2006a,b, 2010; Massen et al. 2010). Thus, different relationship attributes, i.e. kinship, sex-combination, dominance rank, familiarity and co-residency, may be involved in maintaining good relationships.

The quality of relationships has been described as consisting of three independent components: value, compatibility, and security (Cords & Aureli 2000). The value of a relationship concerns direct benefits, afforded by for example grooming and agonistic support, compatibility describes tolerance and lack of aggression, and security consists of the consistency and predictability of behavioural interactions. This model conceptualizes various other formulations of relationship quality, based on direct fitness benefits (Kummer 1978), exchange of valuable assets (e.g. grooming: Gomes & Boesch 2011; Silk 2010a,b), time spent in proximity (Silk 2010a), tolerance to other's presence (Kutsukake 2003), or lack of aggression (Noë & Sluijter 1995). The three-component model has been supported in captive chimpanzees (Fraser et al. 2008), young ravens (*Corvus corax*: Fraser & Bugnyar 2010), and wild Japanese and Barbary macaques (*Macaca fuscata*: Majolo et al. 2010; *M. sylvanus*; McFarland & Majolo 2011). However, only two components, conceptually similar to value and compatibility, were found in spider monkeys (*Ateles geoffroyi*: Rebecchini et al. 2011). Thus, a multi-component structure appears to characterize relationships, at least in large-brained vertebrates living in groups with a network of social relationships.

The determinants of good social relationships influence each of the three relationship quality components differently. Kinship increases the relationship value in many species (primates: Langergraber et al. 2007; Mitani 2009; Rebecchini et al. 2011; review in Seyfarth & Cheney 2012; ravens: Fraser & Bugnyar 2010). Kinship increases also the compatibility (Fraser et al. 2008; Majolo et al. 2010) and security of relationships (Fraser et al. 2008). Sex-

combination may increase value, in particular if same sex alliances are important for individual's fitness (e.g. Silk et al. 2010a; Mitani 2009; see above) or if male-female partnerships increase mating success (Moscovice et al 2010; Huchard et al 2010; Massen et al. 2012). Sex-combination may determine also compatibility and security (Fraser et al. 2008, Fraser & Bugnyar 2010; Majolo et al. 2010). Finally, long co-residence (also termed relationship tenure) increases relationship value and compatibility, but decreases security in captive chimpanzees (Fraser et al. 2008), although not in wild spider monkeys (Rebecchini et al. 2011).

Relationships, however, are not static, since they are based on the summed social interactions between two individuals and their quality may change over time. Relationships may experience variation in quality following changes in resource availability (Henzi et al. 2009), or in an individual's age, sexual receptivity, resource holding potential, or ability to trade social commodities, causing variation in individual's value for others (Barrett & Henzi 2006). Yet, some relationships appear to maintain high quality for extended periods of time (Silk et al. 2006b, 2010a, 2012; Langergraber et al. 2009; Mitani 2009; Lehmann & Boesch 2008). While kinship, sex combination, and co-residency are important determinants of relationship quality components, we know relatively little of how these factors influence long-term stability of relationship quality. Moreover, there are few studies assessing how these factors influence relationships that are formed as adults. Dispersing individuals form relationships in their new group, often at a high cost (e.g. Kahlenberg et al. 2008), but whether the quality of such relationships can improve over the years, is unknown.

We assessed the quality of social relationships in a captive group of chimpanzees that was formed from four different groups, thus including dyads that had a different tenure of relationships (Table 1). We sampled the behaviour of the chimpanzees at two different time points nearly five years apart. This allowed us to (i) test whether the three-component model of value, compatibility, and security describes an intrinsic structure of chimpanzee social relationships that is resilient to demographic and social changes in a social group, (ii) address the

effects of sex combination, kinship, and long-term familiarity due to co-residency on relationship quality, and (iii) assess the long-term changes in relationships that have been formed as adults. In wild chimpanzees, males form strong, cooperative and durable bonds with each other, some of them lasting for several years. In Ngogo, Uganda, many of these high quality relationships were between maternal or paternal brothers, but strong and durable bonds were also found between non-kin males (Mitani 2009, Langergraber et al. 2007). Nulliparous females typically disperse into a new community, although a few females remain in or return to their natal group to breed (Nishida et al. 2003; Pusey et al. 1997). Immigrant female chimpanzees are regularly subject to aggression from resident females (Nishida 1989; Pusey et al. 2008; Boesch & Boesch-Achermann 2000), and seek the proximity of males, possibly for protection (Kahlenberg et al. 2008). However, females can develop high quality relationships with each other (captivity: Fraser et al. 2008; wild: Langergraber et al. 2009; Newton-Fisher 2006). Therefore, we expected to find high value and possibly high compatibility in relationships among kin, male-male dyads, female-female dyads that have co-resided for a long period, and female-male dyads soon after co-residence started. We expected also to find high security among kin and long-term co-resident dyads.

METHODS

Study Subjects and Housing

We studied a group of captive chimpanzees that had been formed in September-November 2002 at the Biomedical Primate Research Centre (BPRC) in Rijswijk, The Netherlands. The group was formed from 20 individuals from four previously existing social groups (A-D, Table 1). The chimpanzees had a varying rearing history: some were wild-caught (early rearing unknown), some were peer-reared, and the youngest individuals were mother-reared in a larger social group. The housing history resulted in some kin dyads (N = 7) having resided in different groups as adults (groups A – D, see Table 1), and potentially even having been raised in separate peer

groups as juveniles. Unfortunately we could not obtain information of the early peer groups' composition. All individuals had been socially housed at all times, except possibly the wild-caught individuals before arrival at BPRC.

Observation period one (P1) was conducted two years post-introduction, in November 2004 - March 2005 at the BPRC. The group included 20 individuals: 2 adult males, 1 subadult male, 13 adult females, and 4 immatures (under nine-year-olds) who were not included in the data collection. In 2007, the group was relocated to the Safaripark Beekse Bergen (BB), the Netherlands. Prior to the move, two individuals (an adult female and her immature daughter), both from the same original group (D), had been relocated elsewhere. The data concerning these individuals are not included in the study. Observation period 2 (P2) was conducted at BB ca. 6.5 years post-introduction in May - July 2009. The group consisted of the remaining 18 individuals: 5 adult males and 13 adult females.

At the BPRC, chimpanzees were housed in a conjoined indoor cage of two 2x5x2 m cages adjacent to smaller sleeping cages, where individuals were housed over night in pairs or small groups. In addition, they had access to two covered outdoor compounds of 6x6 m each. They were provided with enrichment objects such as ropes, tires, cloths, etc. They were fed thrice a day with a mixture of commercial primate food pellets, vegetables, fruit and seeds. Water was available ad libitum.

At the BB the chimpanzees had access to a grassy outdoor island of 2786 m² and an indoor enclosure of 173m². Chimpanzees were not free to choose between indoor and outdoor facility, but they were kept outdoors when the weather permitted it. The island contained climbing frames, platforms and rocks, and the apes were supplied regularly with enrichment items (e.g. ice cubes, cardboard boxes). Feeding always took place in the indoor enclosure. The chimpanzees were fed in the morning and evening in their night enclosures, which were not observable by researchers. During the daytime, chimpanzees were fed fruit or vegetables twice a day. Water was available ad libitum.

Data collection and analyses

We observed the chimpanzees all day (ca. 9:00h - 16:00h, the exact times depended on the husbandry schedule) with focal animal sampling of 10 min. duration. In addition, at BB short 2 min. focal observations were done before predetermined feeding times. We obtained 168 focal observation hours ($X (\pm SD) = 4.9h (\pm 0.4)$ per individual) in P1 and 75 focal observation hours ($X (\pm SD) = 5h (\pm 0.0)$ per individual) in P2. Focal samples consisted of instantaneous sampling of the main activity at each minute (.00 second) and continuous sampling of social interactions for 10 minutes. We recorded all approaches and social behaviour within two arm lengths of the focal animal. Grooming we recorded as bout duration to the nearest second. Aggressive conflicts we recorded ad libitum. We defined a conflict as an interaction involving aggressive behaviour (chase, charge or physical aggression) by one individual, and screaming or fleeing by another individual.

We quantified the social relationships of the adult and subadult dyads using seven behavioural variables (Table 2). We chose behaviours as close as possible to the chimpanzee study by Fraser et al. (2008) at Chester Zoo. However, only six of their variables were quantifiable in our study, namely *proximity*, *neutral or non-aggressive approaches*, *grooming*, *aggressive conflicts*, *agonistic support*, and *counter-intervention* (Table 2). Consistency in affiliation was deemed unreliable in this study as the observation periods lasted for only ca. five and three months, respectively. Instead, we scored *approach symmetry*. The remaining three variables from Fraser et al. (2008) study were either too rarely exhibited (successful begging; grooming symmetry because many dyads never groomed each other) or too uniform across dyads (tolerance to approaches, the great majority of which were neutral in this group) to include in the analyses.

We used only data from those dyads that had been observed at both times in the analyses ($N = 105$ dyads). For each dyad, the relationship quality variables were determined for the two

time periods separately. Subsequently, for each time period separately, the variables were analyzed with a Principal Components Analysis (PCA) with Varimax rotation and Kaiser normalization. The component extraction was based on eigenvalue > 1 and scree-test. In both analyses, diagnostics indicated acceptable sampling adequacy (P1: Kaiser-Meyer-Olkin measure $KMO = 0.56$; P2: $KMO = 0.62$).

Next, we analyzed the effects of three dichotomic variables, familiarity, sex combination, and kinship, on the dyadic component scores derived from the PCA. Dyads that had been housed together before 2003 were deemed ‘familiar’ ($N = 30$) and the rest were considered ‘unfamiliar’ ($N = 75$). Note that familiarity categorisation was based on the group composition as it was immediately prior to 2003. However, while we could not confirm the early peer-rearing group compositions, most unfamiliar dyads are likely to have resided in different groups since early juvenility. Sex combination was compared between female-female dyads ($N=66$) and dyads including a male, i.e. male-male and male-female dyads ($N = 39$). We lumped male-male ($N = 3$) and male-female ($N = 36$) dyads, due to the low number of male-male dyads. We also analysed the data without the possible influence of the 3 male-male dyads. This was done by replacing the principal component scores of these 3 male-male dyads by the average PC-scores of the male-male dyads. By comparison the two sets of results, the impact of the 3 male-male dyads could be assessed, which turned out to be negligible. Therefore, we present only the results of the first analysis.

Kin dyads ($N = 12$) were defined as genetic parent-offspring ($N=4$), maternal ($N=2$) or paternal half-siblings ($N=6$). All other dyads were considered non-kin ($N = 93$). We considered paternal siblings as kin, because it increased the small sample size of the kin category, and made the analyses more conservative. If kinship per se, not familiarity, was to increase relationships quality, paternally and maternally related individuals should have the same relationship quality (cf. Mitani 2009). We also derived a score of ‘relationship change’ for each dyad for each component by calculating the difference in scores found in P1 and P2. This indicates the change

of relationship quality, so that the larger the score, the more the relationship had changed in either direction.

We analyzed whether dyadic characteristics familiarity, sex combination or kinship, affected each of the relationship quality scores at P1 and P2 as well as their change from P1 to P2 by multiple regression matrix permutation tests (also called MRQAP tests, multiple regression quadratic assignment procedure tests; Dekker et al. 2007). In matrix permutation tests p values are assessed by means of random permutation of rows and columns of the matrix; thus, the non-independence among the dyadic scores stemming from the same individual, i.e. among scores in the same row and scores in the same column of the respective matrices, is respected. We applied the double semi-partialing (DSP) permutation method using t as test statistic, which is a pivotal statistic (Dekker et al. 2007). This DSP multiple regression matrix permutation method is implemented in the social network analysis program *sna* written in **R** by Butts (2008, 2010). In the **R** function *netlm* the following parameters were specified: mode="graph", diag=FALSE, nullhyp="qapspp", test.statistic="t-value", reps=2000, indicating that the matrices are symmetric (i.e. graphs with undirected edges), that the DSP method is used (indicated by qapspp), that t is to be used as test statistic, and that 2000 permutations are performed. Since we did the testing for three sets of dyadic scores (for P1, P2, and the difference score P1-P2) we set the alpha at 0.016 (=0.05/3). All tests were two-sided; thus we present Prob($|>t|$) which is the two-sided p value of obtaining the absolute observed t value or a more extreme t value under the null hypothesis. All tests were done in R version 2.13.2.

RESULTS

In the PCA analysis for relationship quality variables in P1, we extracted three components, which explained 68.5% of the variance. The Varimax rotated solution of the PCA is shown in Table 3a. The first component included salient ($>\pm 0.4$) loadings of proximity, approach, grooming and support in conflicts. We labelled this component 'value'. The second component

had high negative loadings of aggression and of counter-intervention, and consequently we labelled it ‘compatibility’. The third component included only approach symmetry and we labelled it accordingly.

The data from P2 mostly replicated the results of P1 (Table 3b). We extracted three components that explained 72.5% of the variance. The first component had high loadings of proximity, approach, grooming and support. However, support also loaded with approach symmetry on component 3, albeit more weakly. The second component encompassed negative loadings of conflicts and counter-support. The third component had a high loading of approach symmetry, and a weaker loading of support.

In P1, value was significantly affected by familiarity, relatedness and the interaction effect between these two characteristics (Table 4 and figure 1a). Relationship value was higher among familiar than unfamiliar, and related than unrelated individuals. This effect was especially strong when related individuals were familiar, indicated by the significant interaction effect. We found a similar pattern in P2 (figure 1b). In addition, in P2 the sex-combination had a significant effect: dyads with males (male-male and male-female dyads) had a higher value than female-female dyads. This suggests that the pattern in the value component changed little overall. Indeed, the change of relationship value over time was not significantly affected by any of the predictors.

Compatibility was significantly affected only by sex-combination in P1, so that the rate of aggression was lower in female-female dyads than in male-female or male-male dyads (Table 4 and fig. 1c,d). Again, this finding was replicated in P2. Not surprisingly therefore, the change in compatibility over time was not predicted by sex combination, familiarity or kinship.

The last component describing approach symmetry was significantly affected by familiarity in P1 (Table 4): familiar dyads had higher approach symmetry than unfamiliar ones (Fig. 1e). In P2, a similarly significant, but opposite effect was found. Familiar dyads had lower approach symmetry than unfamiliar ones (Fig 1f). Consistent with this, the change in approach

symmetry was significantly affected by familiarity indicating that in time, the symmetry of approaches decreased for familiar dyads.

DISCUSSION

Social relationships in our captive group of chimpanzees could be characterized by three independent components, which we labelled value, compatibility and approach symmetry. The content of the components stayed largely the same two and six years, respectively, after forming the social group from four earlier groups. Value was especially high for kin and for familiar dyads. Compatibility was lower in dyads containing a male than in dyads containing only females. These two components were also dyadically stable over time. The third component was also affected by familiarity, but changed over time: at first familiar individuals had a higher, but later a lower approach symmetry than unfamiliar individuals.

Three-component model of relationship quality

Similar to an early study (Fraser et al. 2008), we found that chimpanzee relationships consisted of three independent components. We aimed to record the same behaviours to replicate their study as closely as possible, but were unable to measure four of their variables. ‘Consistency in affiliation’ was replaced by ‘approach symmetry’, while the three other missing variables could not be approximated. Notwithstanding these differences, our results were very similar to those of Fraser and colleagues (2008) for two of the three components. The contents of the first component reflect direct value afforded by the relationship, as it consisted of proximity, grooming and support. The second component contained aggression and counter-intervention, and consequently was labelled compatibility. These two components were also found in ravens (Fraser & Bugnyar 2010), Japanese macaques (Majolo et al. 2010), Barbary macaques (McFarland & Majolo 2011), and spider monkeys (Rebecchini et al. 2011). Moreover, the contents of these two components are congruent with the definitions in the literature (Kummer

1978, Cords & Aureli 2000; Massen et al. 2010). The third component in our study consisted of approach symmetry, which we used as a replacement of consistency of affiliation. However, symmetry in interaction at a given time describes the current state of affairs rather than the predictability of behaviour in time. The importance of asymmetry in affiliative interactions has recently been highlighted as an important aspect of relationships (McFarland & Majolo 2011; Majolo et al. 2010). Grooming asymmetry formed an independent dyadic relationship quality component in Barbary macaques, and when interactions were analysed individually, asymmetry in relationships was found in grooming, aggression and agonistic support, although not in approaches (McFarland & Majolo 2011). Our results support the notion of asymmetric relationships. We also found that agonistic support loaded relatively highly (although less so than on the value component) with approach symmetry in P2, indicating that dyads with symmetric relationships supported each other in conflicts, while this was not found in P1. In sum, the intrinsic, multi-component structure of relationship quality was supported in captive chimpanzees, which strengthens its significance in describing primate, and possibly other social species within-group relationships. The generality and influence of asymmetry on the relationship quality model requires further research.

Effect of sex, kinship and familiarity on relationship quality components and their stability

Relationship value was higher in familiar and related dyads in both study periods, and especially high for dyads that were both familiar and kin. This is consistent with the findings in captive chimpanzees (Fraser et al. 2008) and wild male chimpanzees, where proximity, grooming and support frequency is higher in maternal and paternal kin dyads (Langergraber et al. 2007; Mitani 2009), although kinship does not determine relationship quality in wild female chimpanzees (Langergraber et al. 2009). The kinship effect on relationship value is found also in other mammals, including humans (Seyfarth & Cheney 2012; Massen et al. 2010). Dyadic value stayed consistent long-term, which is congruent with the finding that strong bonds remain stable

for years in wild chimpanzees (Mitani 2009, Langergraber et al. 2007, 2009), and chacma and yellow baboons (Silk et al. 2006a, 2010a,b, 2012).

The strong positive effect of long-term familiarity on relationship value indicates that relationships formed as adults, or a relatively short time ago, were less valuable than those where individuals had known each other for a long time. This effect persisted in time, as previously unfamiliar dyads did not increase their relationship value several years later. This suggests that truly valuable friendships in chimpanzees are less likely to be formed later in adulthood.

The interaction effect of familiarity and kinship indicated that familiar and related individuals had a higher value than familiar but unrelated ones. This suggests that familiarity and kinship had partly independent effects on relationship value. However, the peculiar rearing conditions may have contributed to this finding. Whereas some kin dyads ($N = 5$) had been housed together in the same group, others came from different groups and thus were unfamiliar with each other ($N = 7$). Moreover, the unfamiliar kin dyads are likely to have always been separated, because they probably grew up in different peer groups, based on their birth years. Animals that were reared with unrelated age-mates may not have treated their unfamiliar genetic kin differently from unfamiliar non-kin individuals, indicating that these individuals may not recognize unfamiliar kin (but see Parr & de Waal 1999). Unfortunately, we could not verify the peer-rearing group compositions to determine whether indeed unfamiliar kin dyads grew up in different peer groups and, conversely, which of the familiar dyads had been raised together as peers and which ones had been grouped together later as adults. In natural populations, such a situation is uncommon, as kin are usually familiar with each other. In chimpanzees, unfamiliar related dyads are most likely to be female siblings with a large age difference, who immigrate to the same group as adults. Our results suggest that such unfamiliar but related females may nevertheless be more likely to form valuable relationships with one another than with unrelated females (but see Langergraber et al. 2009).

We predicted that male-male and female-male dyads would have higher value than female-female dyads, but this was largely not supported. That is, male-male and male-female dyads had a higher value than female-female dyads in P2 but not in P1. Consistent with this, the direction and magnitude of dyadic relationship change revealed a marginal, though not significant, increase in the value of male-male and male-female relationships in four years, compared to female-female relationships. This implies that time slightly improved male relationship value, or decreased female relationship value. As we could not separate male-male and male-female relationships due to the low number of male-male dyads, we cannot assess whether this was due to male-male or male-female relationships, or both. However, a reanalysis removing the effect of male-male dyads produced nearly identical results, indicating that the few male-male dyads had a negligible impact on the change of relationship value. Nevertheless, the small sex effect on value shows that female-female relationships in captivity can be similarly valuable to male-male relationships and also fairly stable, which corroborates earlier descriptions (de Waal 1996) and studies (Fraser et al. 2008).

Compatibility was lower in male-male and male-female dyads than in female-female dyads in both study periods, supporting earlier findings in chimpanzees and ravens (Fraser et al. 2008; Fraser & Bugnyar 2010). This indicates that dyads with males are more aggressive than female-female dyads, congruent with the more general finding that male chimpanzees are more aggressive than females (Muller 2002). Yet, there was considerable variation within the sex-combinations, indicating that not only a difference between males and females, but also the identity of the dyad affects compatibility. Kinship and familiarity did not influence compatibility, contradicting our predictions. Thus, whilst relationships formed in adulthood may not become highly valuable, they may nevertheless be non-aggressive and tolerant. Furthermore, some kin dyads appeared to have incompatible relationships with high rates of aggression. This finding may be driven by those related dyads that did not recognize each other as kin.

Approach symmetry was predicted by familiarity, so that in P1 familiar dyads had higher

symmetry and in P2 they had lower symmetry than unfamiliar dyads. Familiar dyads thus became more asymmetric in time. This broadly agrees with the negative effect of familiarity on relationship security found in captive chimpanzees (Fraser et al. 2008). However, contra to our expectation, kinship and sex combination had no effect on approach symmetry. Taken together with the results on the other components, familiar dyads appeared to have a stable value but decreasing symmetry of interactions. This presents an apparent contradiction, as we would expect the most valuable friends to also be reciprocal to maintain the balanced exchange of mutual benefits (Silk et al. 2010a, Mitani 2009, Gilby & Wrangham 2008; Schino & Aureli 2010). However, in the captive colony of the Yerkes Primate Research Centre, chimpanzees that had resided together for longer showed less aversion to inequity in an unequal pay-off paradigm (Brosnan et al. 2005). This may support the idea that familiarity increases relationship asymmetry by increasing tolerance to it, and therefore reduces the damage that unbalanced exchanges may cause to a relationship (Deuch 1975; de Waal 1997). Whether our finding is a real pattern or an artefact due to relatively small sample size should be assessed in future studies.

Implications for welfare and zoo management

Our findings are relevant for captive management and welfare of chimpanzees. Adult chimpanzees, both female and male, are often transferred to other zoos, but little is known of their relationship formation in the new environments. Our results indicate that long co-residency results in higher value relationships, but that both sexes are able to form new relationships of high compatibility even in their new group. Moreover, once formed, these relationships appear to stay stable over several years. This suggests that the integration of new individuals in a group should not only be measured as a lack of aggression, but also as integration in the proximity, grooming and support network.

Conclusions

We showed that the three-component model of relationship quality, initially studied in the Chester zoo chimpanzees, was corroborated in another group of captive chimpanzees. The model was also supported in a reassessment nearly five years later, indicating that the components describe an intrinsic structure of social relationships. We also showed that the dyadic relationship quality was largely stable over several years. Relationship quality in these adult chimpanzees was influenced by the duration of their acquaintance, so that long-term familiar dyads had a higher relationship value than dyads with a shorter time of acquaintance. While it was not possible to establish whether the familiar relationships had been formed as immatures or in adulthood, we showed that highly valuable friendships were durable and based on long-term familiarity. In contrast, compatibility was not influenced by familiarity, thus, both sexes were able to form tolerant relationships as adults, independent of their prior familiarity. In natural populations, only immigrating females have to form social bonds as adults with unfamiliar individuals, while males can form relationships throughout development. Our results suggest that immigrant females may need a relatively long time to establish valuable relationships with resident females while compatible relationships may be faster to acquire. However, since both males and females have highly durable social relationships, but also relationships of shorter duration, both sexes show flexibility in bond formation as adults. Our results support the general finding that primates form durable social bonds, and further illuminate chimpanzees' behavioural flexibility in social bond formation.

Acknowledgements

We thank the Biomedical Primate Research Centre and the Safaripark Beekse Bergen for allowing us to study the chimpanzees and for the information of the chimpanzees' backgrounds, and Jurgen Kooijman who collected the data at BPRC. We thank Jo Setchell and two anonymous reviewers for helpful and constructive comments on an earlier version of the manuscript. Academy of Finland provided financial support to SEK.

References

- Aureli, F., & Schaffner, C. (2002). Relationship assessment through emotional mediation. *Behaviour*, 139, 393–420.
- Barrett, L. & Henzi, P. (2006). Monkeys, markets and minds: biological markets and primate sociality. In: (Eds.) P.M. Kappeler & C.P. van Schaik. *Cooperation in primates and humans. Mechanisms and evolution*. Springer-Verlag, Berlin. Pp. 209-232.
- Bergman, T., Beehner, J.C., Cheney, D.L., Seyfarth, R.M. (2003). Hierarchical classification by rank and kinship in baboons. *Science* 302, 1234–36
- Boesch, C. & Boesch-Achermann, H. (2000). *The Chimpanzees of the Tai Forest: Behavioural Ecology and Evolution*. Oxford: Oxford University Press.
- Bradley, B., Doran-Sheeley, D. M., & Vigilant, L. (2007). Potential for female kin-associations in wild western gorillas despite female dispersal. *Proceedings of the Royal Society B* 274, 2179-2185
- Brosnan, S. F., Schiff, H. C., & De Waal, F. B. M. (2005). Tolerance for inequity may increase with social closeness in chimpanzees. *Proceedings Of The Royal Society B* 272, 253–258.
- Butts, C.T. (2008) Social network analysis with sna. *Journal of Statistical Software* 24(6): 1-51
- Butts, C.T. (2010) sna: Tools for Social Network Analysis. R package version 2.1
- Cords, M. & Aureli, F. (2000). Reconciliation and relationship qualities. In: (Eds.) Aureli, F. & de Waal, F.B.M. *Natural Conflict Resolution*. Univ. of California Press, Berkeley, CA. Pp. 177-198.
- Dekker, D., Krackhardt, D., Snijders, T.A.B. (2007) Sensitivity of MRQAP tests to collinearity and autocorrelation conditions. *Psychometrika* 72, 563-581.
- Deutsch, M. (1975). Equity, equality, and need: what determines which value will be used as the basis of distributive justice. *Journal of Social Issues* 31, 137-150
- Fraser O. N., Schino G. & Aureli F. (2008). Components of relationship quality in chimpanzees. *Ethology*, 114, 834-843.
- Fraser, O. N., & Bugnyar, T. (2010). The quality of social relationships in ravens. *Animal Behaviour*, 79, 927-933
- Gilby C, Wrangham RW. (2008). Association patterns among wild chimpanzees (*Pan troglodytes schweinfurthii*) reflect sex differences in cooperation. *Behavioural Ecology and Sociobiology* 11, 1831–42
- Greenwood, P. J. (1980). Mating systems, philopatry and dispersal in birds and mammals. *Animal Behaviour*, 28, 1140–1162.

473 Gomes, C. M., & Boesch, C. (2011). Reciprocity and trades in wild West African chimpanzees.
 474 Behavioral Ecology and Sociobiology, 65, 2183-2196

475 Henzi, S. P., Lusseau, D., Weingrill, T., van Schaik, C. P., & Barrett, L. (2009). Cyclicity in the
 476 structure of female baboon social networks. Behavioral Ecology and Sociobiology 63, 1015–
 477 1021

478 Huchard, E., Alvergne, A., Féjan, D., Knapp, L. A., Cowlshaw, G., & Raymond, M. (2010).
 479 More than friends? Behavioural and genetic aspects of heterosexual associations in wild
 480 chacma baboons. Behavioral Ecology and Sociobiology, 64, 769–781.

481 Kahlenberg, S. M., Thompson, M. E., Muller, M. N., & Wrangham, R. W. (2008). Immigration
 482 costs for female chimpanzees and male protection as an immigrant counterstrategy to
 483 intrasexual aggression. Animal Behaviour, 76, 1497–1509.

484 Kappeler, P., & van Schaik, C. (2002). Evolution of primate social systems. International Journal
 485 of Primatology 23, 707–740.

486 Kapsalis, E. (2004). Matrilineal kinship and primate behavior. In: B. Chapais, C.M. Berman
 487 (Eds.). Kinship and Behavior in Primates. Oxford University Press, Oxford. Pp. 153–176

488 Kummer, H. (1978). On the value of social relationships to nonhuman primates: a heuristic
 489 scheme. Social Science Information 17, 687-705.

490 Kutsukake, N. (2003). Assessing relationship quality and social anxiety among wild
 491 chimpanzees using self-directed behaviour. Behaviour, 140, 1153–1171.

492 Langergraber, K. E., Mitani, J. C., & Vigilant, L. (2007). The limited impact of kinship on
 493 cooperation in wild chimpanzees. Proceedings of the National Academy of Sciences, 104,
 494 7786–7790.

495 Langergraber, K., Mitani, J., & Vigilant, L. (2009). Kinship and social bonds in female
 496 chimpanzees (*Pan troglodytes*). American Journal of Primatology, 71, 840–851.

497 Lehmann, J. & Boesch, C. (2008) Sexual Differences in Chimpanzee Sociality. International
 498 Journal of Primatology 29, 65-81

499 Majolo, B., Ventura, R., & Schino, G. (2010). Asymmetry and Dimensions of Relationship
 500 Quality in the Japanese Macaque (*Macaca fuscata yakui*). International Journal of
 501 Primatology, 31, 736-750.

502 Massen, J. J., Sterck, E. H., & De Vos, H. (2010). Close social associations in animals and
 503 humans: functions and mechanisms of friendship. Behaviour, 147, 1379–1412.

504 Massen, J.J.M., Overduin-de Vries, A.M., Vos-Rouweler, A.J.M., Spruijt, B.M., Doxiadis, G.G.
 505 M., & Sterck, E.H.M. (2012). Male Mating Tactics in Captive Rhesus Macaques (*Macaca*
 506 *mulatta*): The Influence of Dominance, Markets, and Relationship Quality. International

Journal of Primatology, 33, 73–92.

McFarland, R., & Majolo, B. (2011). Exploring the Components, Asymmetry and Distribution of Relationship Quality in Wild Barbary Macaques (*Macaca sylvanus*). PLoS ONE, 6, e28826.

Mitani, J., Merriwether, D. A. & Zhang, C. (2000). Male affiliation, cooperation and kinship in wild chimpanzees. *Animal Behaviour* 59, 885-893.

Mitani (2009). Male chimpanzees form enduring and equitable social bonds. *Animal Behaviour* 77, 633-640.

Moscovice, L. R., Fiore, A. D., Crockford, C., Kitchen, D. M., Wittig, R., Seyfarth, R. M., & Cheney, D. L. (2010). Hedging their bets? Male and female chacma baboons form friendships based on likelihood of paternity. *Animal Behaviour*, 79, 1007–1015.

Muller MN. (2002). Agonistic relations among Kanyawara chimpanzees. In: (Eds.) C. Boesch, G. Hohmann, L.F. Marchant. *Behavioural diversity in chimpanzees and bonobos*. Cambridge University Press, Cambridge UK. Pp.112-124

Newton-Fisher, N. E. (2006). Female Coalitions Against Male Aggression in Wild Chimpanzees of the Budongo Forest. *International Journal of Primatology*, 27, 1589–1599.

Nishida, T. (1989). Social interactions between resident and immigrant female chimpanzees. In: *Understanding Chimpanzees* (Eds) P.G. Heltne & L.A. Marquardt. Cambridge, MA, Harvard University Press. Pp. 68-89.

Nishida, T., Corp, N., Hamai, M., Hasegawa, T., Hiraiwa-Hasegawa, M., Hosaka, K., Hunt, K. D., Itoh, N., Kawanaka, K., Matsumoto-Oda, A., Mitani J.C., et al. (2003). Demography, female life history, and reproductive profiles among the chimpanzees of Mahale. *American Journal of Primatology* 59, 99–121.

Noë, R & Hammerstein, P. (1994). Biological markets: Supply and demand determine the effect of partner choice in cooperation, mutualism, and mating. *Behavioural Ecology and Sociobiology* 35, 1–11.

Noë, R. & Sluijter, A.A. (1995). Which adult male savanna baboons form coalitions? *International Journal of Primatology* 16, 77-105.

Palombit, R. (2000). *Infanticide and the evolution of male–female bonds in animals. Infanticide by males and its implications*. Cambridge University Press, Cambridge, 239–268.

Parr, L. A., & De Waal, F. B. M. (1999). Visual kin recognition in chimpanzees. *Nature*, 399, 647–648.

Perry S, Barrett C, Manson J.H. (2004). White-faced capuchin monkeys show triadic awareness in their choice of allies. *Animal Behaviour* 67, 165–170.

Perry S., Manson J.H., Muniz, L., Gros-Louis, J., Vigilant, L. (2008) Kin-biased social

behaviour in wild adult female white-faced capuchins, *Cebus capucinus*. *Animal Behaviour* 76, 187-199

Pusey, A. E., Murray, C. M., Wallauer, W., Wilson, M. L., Wroblewski, E. & Goodall, J. (2008). Severe aggression among female chimpanzees at Gombe National Park, Tanzania. *International Journal of Primatology*, 29, 949-973.

Pusey, A., Williams, J., & Goodall, J. (1997). The influence of dominance rank on the reproductive success of female chimpanzees. *Science* 277, 828–831.

Rebecchini, L., Schaffner, C. M., & Aureli, F. (2011). Risk is a Component of Social Relationships in Spider Monkeys. *Ethology*, 117, 691–699.

van Schaik, C. P., & Kappeler, P. M. (1997). Infanticide risk and the evolution of male-female associations in primates. *Proceedings of the Royal Society B*, 164, 1687–1694.

Schino, G., & Aureli, F. (2010). A few misunderstandings about reciprocal altruism. *Communicative & integrative biology* 3, 561–563.

Schoof, V. A. M., Jack, K. M., & Isbell, L. A. (2009). What traits promote male parallel dispersal in primates? *Behaviour*, 146, 701–726.

Schülke, O., Bhagavatula, J., Vigilant, L., & Ostner, J. (2010). Social Bonds Enhance Reproductive Success in Male Macaques. *Current Biology* 20, 2207–2210.

Seyfarth, R.M. (1977). A model of social grooming among adult female monkeys. *Journal of Theoretical Biology* 65, 671–98

Seyfarth, R. M., & Cheney, D. L. (2012). The Evolutionary Origins of Friendship. *Annual Review of Psychology* 63, 153–177.

Silk, J. B. (2007). The adaptive value of sociality in mammalian groups. *Philosophical transactions of the Royal Society of London Series B*, 362, 539–559.

Silk, J. B., Alberts, S. C., & Altmann, J. (2003). Social Bonds of Female Baboons Enhance Infant Survival. *Science* 302, 1231–1234.

Silk, J.B., Altmann, J., Alberts, S. (2006b). Social relationships among adult female baboons (*Papio cynocephalus*). I. Variation in the strength of social bonds. *Behavioural Ecology and Sociobiology* 61, 183–95

Silk, J.B., Alberts, S., Altmann, J. (2006a). Social relationships among adult female baboons (*Papio cynocephalus*). II. Variation in the quality and stability of social bonds. *Behavioural Ecology and Sociobiology* 61, 197–204

Silk, J. B., Beehner, J. C., Bergman, T. J., Crockford, C., Engh, A. L., Moscovice, L. R., Wittig, R. M., Seyfarth, R.M., Cheney, D.L. (2010a). Strong and Consistent Social Bonds Enhance the Longevity of Female Baboons. *Current Biology* 20, 1359-1361.

575 Silk, J. B., Beehner, J. C., Bergman, T. J., Crockford, C., Engh, A. L., Moscovice, L. R., Wittig,
 576 R. M., Seyfarth, R.M., Cheney, D.L. (2010b). Female chacma baboons form strong, equitable,
 577 and enduring social bonds. *Behavioral Ecology and Sociobiology*, 64, 1733-1747.
 578 Silk, J. B., Alberts, S. C., Altmann, J., Cheney, D. L., & Seyfarth, R. M. (2012). Stability of
 579 partner choice among female baboons. *Animal Behaviour* 83, 1511-1518.
 580 de Waal FBM (1996). Chimpanzee's adaptive potential. A comparison of social life under
 581 captive and wild conditions. In: (Eds.) R.W. Wrangham, W.C. McGrew, F.B.M. de Waal,
 582 P.G. Heltne. *Chimpanzee cultures*. Harvard University Press. Pp. 243-260.
 583 de Waal, F.B.M. (1997). The chimpanzee's service economy: Food for grooming. *Evolution and*
 584 *Human Behavior* 18, 375-386.
 585 Watts, D. P. (2002). Reciprocity and interchange in the social relationships of wild male
 586 chimpanzees. *Behaviour* 139, 343-370.
 587 Watts DP, Mitani JC. (2001). Boundary patrols and intergroup encounters in wild chimpanzees.
 588 *Behaviour* 138, 299–327.
 589 Wittig, R., & Boesch, C. (2003). Food competition and linear dominance hierarchy among
 590 female chimpanzees of the Tai National Park. *International Journal of Primatology*, 24, 847–
 591 867.
 592
 593

Table 1. Individuals forming the study group: name, birth year, sex, original group membership, rearing history, kin bonds and age in period 1 (P1) and period 2 (P2).

Name	Birth year	Sex	Original group	Rearing history	Born; mother, father	Age in P1	Age in P2
Hilko	1990	M	A	Peer	Captivity; Diana, Billy	15	19
Jana	1986	F	A	Peer	Captivity; Corry, Hans	19	23
Christa	1988	F	A	Peer	Captivity; Tineke, Frits	17	21
Leonne	1988	F	A	Peer	Captivity; Tasja, Frits	17	21
Nadine	1990	F	A	Peer	Captivity; Corry, Robert	15	19
Dirk	1981	M	B	Peer	Captivity; Wodka, Izaak	24	28
Gert-Jan	1995	M	B	Mother	Captivity; Centa, Dirk	10	14
Anna-Clara	1980	F	B	Peer	Captivity; Nina, Gerrit	25	29
Lenny	1982	F	B	Peer	Captivity; Indira, Gerrit	23	27
Centa	1983	F	B	Peer	Captivity; Tineke, Frits	22	26
Marieke	1997	F	B	Mother	Captivity; Lenny, Dirk	8§	12
Daan	1997	M	C	Mother	Captivity; Diana, Frits	8§	12
Ruben	1997	M	C	Mother	Captivity; Sherry, Frits	8§	12
Carolina	1966	F	C	Mother*	Wild	39	43
Diana	1967	F	C	Mother*	Wild	38	42
Sonja	1968	F	C	Mother*	Wild	37	40
Sherry	1970	F	C	Mother*	Wild	34	39
Joke	1996	F	C	Mother	Captivity; Carolina, Frits	9	13
Gina [#]	1968	F	D	Mother*	Wild	37	-
Melanie [#]	1996	F	D	Mother	Captivity; Gina, Marco	9	-

[#] Data were collected at P1 but these individuals were removed from the group before the observations of P2 at BB.

Therefore, the data are not included in the study.

* Until capture at young age, thereafter unknown.

§ No data collected due to subject's young age.

Peer-rearing involved weaning at ca. 1-2 years of age (max 4 yrs), after which subjects were housed together with same aged infants.

Table 2. Variables used to measure relationship quality.

Variable	Operational definition
Approach	Frequency of approaches within dyad with neutral or non-aggressive behaviour (A approaches B + B approaches A)
Approach symmetry	A approaches B / (A approaches B + B approaches A)
Conflict	Frequency of conflicts in dyad (A aggression towards B + B aggression towards A)
Support	Frequency of coalitionary support in conflict (A supports B + B supports A)
Counter-support	Frequency of aggression against coalition partner's conflict opponent (A with X against C + C with X against A)
Grooming	Duration of time spent grooming with the other individual (A grooms B + B grooms A)
Proximity	Proportion of instantaneous focal samples in which the other individual was in proximity (2 arm lengths)

Approach, approach symmetry, grooming and proximity were corrected by the summed dyadic observation time. Ad libitum sampling was used for aggressive conflicts, support and counter-support, corrected by summed group observation time.

Table 3. The rotated principal components of relationship quality in period 1 (a) and period 2 (b). The loadings considered as salient ($> \pm 0.4$) are shown with bold typeface.

a. P1	Value	Compatibility	Approach symmetry
Proximity	0.77	- 0.03	0.35
Approach	0.79	- 0.08	0.29
Grooming	0.72	- 0.08	-0.35
Support	0.56	0.22	-0.16
Conflicts	0.10	- 0.85	-0.22
Counter-intervention	-0.10	- 0.86	0.05
Approach symmetry	0.05	0.12	0.88
% variation explained	30.0	23.3	15.2
Eigenvalue	2.1	1.6	1.1
b. P2			
Proximity	0.94	- 0.11	-0.03
Approach	0.88	- 0.20	-0.17
Grooming	0.55	- 0.39	0.03
Support	0.54	0.40	0.48
Conflicts	0.17	- 0.80	0.03
Counter-intervention	0.12	- 0.801	0.03
Approach symmetry	-0.15	- 0.13	0.91
% variation explained	36.8	20.1	15.6
Eigenvalue	2.6	1.4	1.1

Correlation matrix; N= 105. Sampling adequacy: P1 KMO = 0.56; P2 KMO = 0.62.


619
620

621 Table 4. Effects of familiarity, sex combination, kinship and familiarity-kinship interaction on the dyadic scores for three relationship
622 components found in two observation periods P1 and P2, and on the changes in the component scores from P1 and P2. Prob($|>t|$) gives
623 the two-sided p value of obtaining the absolute observed t value or a more extreme t value under the null hypothesis. These p values are
624 found by means of multiple regression permutation tests on the dyadic score matrices, which respect the non-independence among
625 scores stemming from the same individual. Familiarity: 0=non-familiar, 1=familiar. Sex combination: 0=female-female, 1=male-male or
626 male-female. Kinship: 0=non-kin, 1=kin.

627

		P1			P2			P1-P2		
Relationship quality component		coefficient	t value	Prob(> t)	coefficient	t value	Prob(> t)	coefficient	t value	Prob (> t)
Value										
	Familiarity	1.66	6.70	< 0.0001	1.55	6.52	< 0.0001	-0.11	-0.42	0.66
	Sex comb.	0.29	1.82	0.075	0.71	4.62	0.001	0.42	2.46	0.06
	Kinship	1.02	4.09	0.0001	1.29	5.39	< 0.0001	0.27	1.02	0.31
	Famil * Kin	0.84	3.38	0.0005	1.22	5.12	< 0.0001	0.38	1.44	0.16
	Multiple R2	0.40			0.45			0.12		
	Adj Mult R2	0.38			0.43			0.08		
Compatibility										
	Familiarity	0.12	0.62	0.53	0.16	0.80	0.4	0.04	0.13	0.88
	Sex comb.	-0.81	-4.23	0.008	-0.84	-4.42	0.004	-0.03	-0.14	0.90
	Kinship	0.20	0.69	0.52	-0.01	-0.05	0.96	-0.21	-0.55	0.58
	Multiple R2	0.17			0.17			0.003		
	Adj Mult R2	0.14			0.15			0.00		
Approach symmetry										
	Familiarity	0.65	3.07	0.002	-0.63	-2.98	0.005	-1.28	-4.12	0.0001
	Sex comb.	0.04	0.18	0.89	-0.11	-0.56	0.58	-0.15	-0.50	0.69
	Kinship	-0.28	-0.94	0.36	0.08	0.27	0.81	0.36	0.82	0.44
	Multiple R2	0.09			0.08			0.15		
	Adj Mult R2	0.06			0.06			0.12		

628
629



631

632

633

634

Figure 1. The effects of dyadic relationship characteristics on relationship component scores (mean \pm SE).